Available online on 15.01.2018 at <http://ujpr.org>
Universal Journal of Pharmaceutical Research
An International Peer Reviewed Journal
Open access to Pharmaceutical research

This is an open access article distributed under the terms of the Creative Commons Attribution-Non Commercial Share Alike 4.0 License which permits unrestricted non commercial use, provided the original work is properly cited

Volume 2, Issue 6, 2017

Open Access

REVIEW ARTICLE

A REVIEW ON CHEMICAL COMPONENTS AND THERAPEUTIC USES OF ANT LION (*MYRMELON SP*)

Narayan Sharma

Department of Chemistry, Nepalese Army Institute of Health Science, College of Medical Polytechnic, Kathmandu, Nepal

ABSTRACT

Antlions are a family of insects given the zoological classification Myrmeleontidae. The name is rooted in the Greek words *myrmex* (ant) and *leon* (lion). Since it preys primarily on ants, the antlion is, metaphorically speaking, a "lion" among ants. The name "antlion" best describes this insect's predacious larval form a mottled gray or brown creature with an oversized head, spiny jaws, short legs, and a soft body covered in bristles. Along with the beneficial effects of ant lion in agriculture, they have been found to be containing various bioactive components such as polypeptides and alkaloids. They have been proved to be useful as therapeutic agents in treatment of various human ailments such as diabetes, convulsion and also in back pain. This review article summarizes some chemical constituents of the insect and some pharmacological uses as reported by various studies.

Keywords: Ant lion, chemical components, therapeutic uses.

Article Info: Received 10 August 2017; Revised 1 December; Accepted 9 January 2018, Available online 15 January 2018

Cite this article-

Sharma N. A review on chemical components and therapeutic uses of ant lion (*Myrmelon sp*). Universal Journal of Pharmaceutical Research 2017; 2(6): 73-75.

DOI: <http://doi.org/10.22270/ujpr.v2i6.RW2>

Address for Correspondence:

Narayan Sharma, Department of Chemistry, Nepalese Army Institute of Health Science, College of Medical Polytechnic, Kathmandu, Nepal. Mobile-+9779810803228, E-mail: snarayan3331@gmail.com

INTRODUCTION

Antlions have a worldwide distribution. The greatest diversity occurs in the tropics, but a few species are found in cold-temperate locations, one such being the European *Euroleon nostras*. They most commonly occur in dry and sandy habitats where the larvae can easily excavate their pits, but some larvae hide under debris or ambush their prey among leaf litter. The catalog of ant lion taxa, includes about 1500 known species¹. The most known genus is *Myrmeleon* (ant lion). The exact meaning of the name "ant lion" is uncertain. It has been thought that it refers to the fact that ants form a large percentage of the prey of the insect, the suffix "lion" merely suggesting destroyer or eater. The term Ant lion applied to the larval form of insect as it feeds upon arthropods- mainly ants. Its adult is often called doodlebug in North America². Some adults eat small pollen and nectar while others are predator of small arthropods. Ant lions are worldwide in distribution, most common in arid and sandy habitats³. The larvae of many antlion species construct conical pitfall traps in sand or fine soil. The larva settles down at the bottom, buried in the soil with only the jaws projecting above the surface, often in a wide-opened position on either side of the very tip of

the cone⁴. Ant lion completes its life cycle in four stages- egg, larva, pupa and adult. Eggs are laid directly into soil. Larvae pass through three instars and then pupate in the soil. Adults are active, weak-flying, nocturnal predators⁵.

Figure 1: Antlion life cycle.

The largest forms are found in the predominately African genus *Palpares*; these have a wingspan of 16 cm (6.3 inch). A very small form in Arabia has a wingspan of only 2 cm (0.8 inch)^{7,8}. The largest European species is *Acanthaclisis occitanica*, with a wingspan of 11 cm (4. inch). The other ten or so

species native to central Europe are about a third smaller, and only half build sand traps⁹.

There are many researches focused mainly in distribution, ecology and life cycles of ant lion but very few studies have been carried out focusing their therapeutic uses⁶.

Figure 2: Antlion.

Figure 3: Sand pit trap of an antlion.

Chemical components

Nakatani *et al.*, isolated two isoindoline alkaloids namely 4-hydroxyindoline-1-one and 2-(2-hydroxyethyl)-4-hydroxyisoindoline-1-one from Ant lion larva Myrmeleontidae species².

Figure 4: Chemical components obtained from antlion.

Hisashi Nishiwaki *et al.*, isolated bacteria named *Bacillus cereus* from the larvae of *Myrmeleon bore* which was found to secrete proteins that paralyze and kill German cockroaches, *Blattella germanica*, when injected. One of these active proteins was purified and identified as sphingomyelinase (molecular mass of 34 kDa)¹¹. Matsuda and co workers obtained a paralytic polypeptide named AIBT-toxin from live ant lions, the larvae of *Myrmeleon bore*¹². Similarly the thoracic gland of the ant lion *Euroleon nostras* was found to contain nerol oxide and (z)-6-undecen-2-ol (Nostrenol)

while the species *grocus bore* contained 10-homonerol oxide and nostrinol. Nerol and 10-homonerol were found in third species, *Myrmeleon formicarius*. The nerol oxides of *E. nostras* and the 10-homonerol oxides of *G. bore* were found to be racemic while both species contained optically pure (R) – nostrenol¹³. In addition to this, the thoracic gland of males in two ant lion sp. *Synclisis baetica* and *Acanthaclisis occitanica* of Israel were found to contain two component blends of nerol oxide and (R,Z) -6- tridecan-2-ol (approx 1:5) and nerol oxide and 10-homonerol oxide (approx 1:2) respectively¹⁴.

Therapeutic uses

The dried bodies of ant lions (the larvae of Myrmeleontidae species) have been used as a traditional Chinese medicine prescribed for the treatment of malaria and childhood convulsions¹⁵. Endro Nugroho *et al.*, found combination of bitter guard ethanolic extract with ant lion larvae aqueous extract as a blood glucose level lowering agent. In this study, human lung acting insulin was intraperitoneally injected three times daily for 15 days to insulin resistance conditions in rat. In 16th day, a single dose of drug was orally given and blood glucose levels were checked before and after the administration of drug. The result was analyzed using paired t-test. The bitter gourd and ant lion larvae in ratio 75:25 (w/w percentage) were found to reduce blood glucose level by 32.20±2.57%¹⁶. A study in Indonesia by Tyas Kurniasih *et al.*, showed that the juice of undur-undur (ant lion) significantly (p <0.05) decreased blood glucose levels of alloxan induced hyperglycemic rats after 14 days of treatment. In this study, 30 male white Wister rats were randomly selected and divided into 6 treatment groups. First group (normal control) included aquabidest injected mice and given treatment with aquabidest at dose of 0.5ml/200g body weight of rat per day, second group (control hyperglycemic) included alloxan induced hyperglycemic mice and given treatment with aquabidest at dose of 0.5ml/200g body weight of rat per day and third group (positive control) included alloxan induced hyperglycemic mice and given treatment with solution of glibenclamide dose of 0.378 mg/200g body weight of rat per day¹⁷. Similarly, fourth group (treatment 1) were alloxan induced hyperglycemic mice and given treatment with Undur-undur (Antlion) juice at dose of 0.01 ml/200g body weight of rat per day, fifth group (treatment 2) were alloxan induced hyperglycemic rats and given treatment with banana amber juice at dose of 1.16 ml/200g body weight of rat per day and finally sixth group (treatment 3) were alloxan induced hyperglycemic mice and given treatment with combination at dose 0.01ml/200g of ant lion juice and at dose 1.16ml/200g of banana juice. Blood glucose content was measured every 7 days until the 35th day. The data obtained were analyzed using ANOVA and test LSD at 95% confidence level¹⁸.

Recently, Elza Sundhani *et al.*, also studied anti-diabetic activity of ant lion powder and ethanolic extract on white Wister male rat. Twenty seven rats were grouped randomly into nine each with 3 animals. Group I and II were given glibenclamide and group III

was given glucose. Group IV, V, and VI were given ant lion powder with the dose of 5.42 mg/Kg BW, 10.84 mg/Kg BW, and 21.68 mg/Kg BW respectively while group VII, VIII, and IX were given ethanol extract of ant lion with the dose of 0.1626 mg/Kg BW, 0.3252 mg/kg BW, and 0.6054 mg/Kg BW respectively. Blood glucose level was determined and analyzed statistically. The result showed that, both powder and ethanolic extract of ant lion can prove to decrease blood glucose level¹⁹. Ant lion was also found to be traditionally used in back pain. Gun powder, two *Aframomum melegueta* rhizomes, two white ant, two ant lion are all grinded in a pestle and mortar and used to make nine incision marks on a man and seven on a woman on the back to treat back pain²⁰.

CONCLUSION

There are only few studies about the uses of ant lion as bioactive agents although there are number of researches focusing on distribution, ecology and life cycles of ant lion. Highlight of few researches in this article suggest that there is a need of focusing study on the pharmacological uses of ant lion.

ACKNOWLEDGEMENTS

Author is thankful to management of Department of Chemistry, Nepalese Army Institute of Health Science, College of Medical Polytechnic, Kathmandu, Nepal to provide necessary facilities for this work.

CONFLICT OF INTEREST

No conflict of interest associated with this work.

REFERENCES

- Krivokhatsky VK. L. Stange- A Systematic Catalog, Bibliography and Classification of the World Antlions (Insecta: Neuroptera: Myrmeleontidae). Memoirs of the American Entomological Institute 74 (Gainesville, FL 2004), 565. Entomological Review 2005; 85(4): 461-464
<https://doi.org/10.3897%2Fzookeys.538.6655>
- Nakatani T, Nishimura E, Noda N. Two isoindoline alkaloids from crude drug, the antlion (the larvae of myrmeleontidae species). The Japanese society of Pharmacognosy and spreinger-verlag 2006; 60: 261-263.
<https://doi.org/10.1007/s11418-006-0049-z>
- Nishiwaki H, Ito K, Otsuki K, Yamamoto H, Komai K, Matsuda K. purification and functional characterization of insecticidal sphingomyelinase L produced by *Bacillus cerus*. Eur J Biochem 2004; 271; 601
<https://doi.org/10.1111/j.1432-1033.2003.03962.x>
- Toshida N, Sugama H, Gotoh S, Matsuda K, Nishimura K, Komai K. Detection of ALMB-toxin in larval body of Myrmeleon bore by anti N-terminus Peptide antibodies." Biosci, Biotechnol, Biochem 1999; 63; 232-234
<https://doi.org/10.1128%2FAEM.00021-07>
- Yashido N, oeda K, watanabe E, Mikami T, Fukita k, Nishimura K, Komai K, Matsuda K. Chaperonin turned insect toxin. Nature 2001; 411;44
<https://doi.org/10.1038/35075148>
- Baekstrom P, Bergstrom G, Bjorkling F *et.al*. Structure, absolute configurations, and synthesis of volatile signals from three sympatric antlion species, Euroleon nostras, Grocus bore and *Myrmeleon formicarius* (Neoptera: myrmeleontidae). J Chem Ecol 1989; 15:61
<https://doi.org/10.1007/BF02027774>
- Baekstrom G, Wassgren AB, Hogberg E, Hedenstrom E, Hefetz A, Simon D, Ohlsson T and Lofqvist J. Species-specific, two component volatile signals in two sympatric antlion species; synclisis baetica and *Acanthaclisis occitanica*, Neoptera Myrmeleontidae. J Chem Ecol 1992; 18, 7.
<https://doi.org/10.1007/BF00980072>
- Shogakukan. The dictionary of chinese drugs, vol II. Shanghai Science and Technologic Publishers and Shogakukan, Tokyo. 1985; 1042.
<https://doi.org/10.1155/2020/3618941>
- Mujahid MZ, Agistia DD, Saadah M and Nugroho AE. A combination of bitter guard ethanolic extract with antlion larvae aqueous extract for a blood glucose lowering agent. Int Food Res J 2013; 20(2): 851-855.
<https://doi.org/10.22270/ujpr.v2i6.RW2>
- Kurniasih T, Ismail M, Susilowati F, Lestari SP. Kajian Potensi Undur-Undur Darat (Myrmeleon Sp.) sebagai Antidiabetes. PKM Report. Faculty of Biology. Universitas Gadjah Mada. Yogyakarta.
<https://doi.org/10.3252/pso.eu.17ece.2015>
- Rahma HH, Sundhani E, Nurulita NA. antidiabetic activity of powder and ethanolic extract of antlion (myrmeleon sp.) on wistar strain white male rats with glucose preload. Proceeding ICMHS, 2016.
- Borokini TI, Ighere DA, Clement M, Ajiboye TO, Alowonle AA. Ethnobiological survey of traditional medicine practices in Oyo State. J Med Plant Stud 2013; 1(5): 1-16.
- Arnett Jr, Ross H. American Insects: A handbook of the insects of America north of Mexico. New York: Van Nostrand Reinhold Co. 1985.
- Grzimek, Bernard. Grzimek's Animal Life Encyclopedia. New York: Van Nostrand Reinhold Co. 1979.
- Piek Tom. Venoms of the Hymenoptera: Biochemical, Pharmacological and Behavioural Aspects. Web page accessed 6 March 2016.
<https://doi.org/10.1016/C2013-0-11309-8>
- Swanson, Mark. "Where do Antlions Live?" The Antlion Pit. Retrieved 24 February 2016.
- Jeanne Cavelos. The science of star wars: an astrophysicist's independent examination of space travel, Aliens, Planets, and Robots as Portrayed in the Star Wars Films and Books (New York: St. Martin's Press 1999; 71, ISBN 0-312-20958-4.
- Howell Jim. Hey, Bug Doctor!: The Scoop on Insects in Georgia's Homes and Gardens. University of Georgia Press. 2006, 15–16. ISBN 0820328049.
- Mares Michael A. Encyclopedia of Deserts. University of Oklahoma Press 1999, 29. ISBN 978-0-8061-3146-7.
- Fabre, Jean-Henri. Fabre's Book of Insects. Courier Corporation 2013, 108. ISBN 978-0-486-32011-3.
<https://doi.org/10.22270/ujpr.v2i6.RW2>