Available online on 15.07.2021 at <http://ujpr.org>
Universal Journal of Pharmaceutical Research
An International Peer Reviewed Journal

Open access to Pharmaceutical research
 This is an open access article distributed under the terms of the Creative Commons Attribution-Non
 Commercial Share Alike 4.0 License which permits unrestricted non commercial use,
 provided the original work is properly cited

Volume 6, Issue 3, 2021

Open Access

REVIEW ARTICLE

COSMETOTEXTILES AND EVALUATION OF THEIR PERFORMANCE

Evren ALGIN YAPAR^{1*}, İmren ESENTÜRK², Aşlı ŞAHİNER³, Ece HALAT³,
 Bilge Ahsen KARA⁴, Rajni BALA⁵, Rakesh K SINDHU⁵

¹Ministry of Health, Turkish Medicines and Medical Devices Agency, Department of Analysis
 and Control Laboratories, Ankara, Turkey.

²University of Health Sciences Turkey, Hamidiye Faculty of Pharmacy, Department of Pharmaceutical
 Technology, Istanbul, Turkey.

³Ege University, Faculty of Science, Department of Biology, Izmir, Turkey.

⁴Ministry of Health, Ankara Gazi Mustafa Kemal State Hospital, Ankara, Turkey.

⁵Chitkara University, Chitkara College of Pharmacy, Punjab, India.

ABSTRACT

Cosmetotextiles are textile products that release a cosmetic substance or formulation in the application area for cosmetic purposes. Cosmetic substances or formulations loaded carriers such as micro or nano-sized microcapsules, microsphere, cyclodextrin, liposome, solid lipid nanoparticles, are attached or processed on textile to prepare cosmetotextiles. As a textile material woven fabric, knitted fabric and non-woven fabrics are used for cosmetotextiles, and within this scope, relevant cosmetic and textile standards and regulations are taken into account in the performance evaluation of products, especially for effectiveness and safety. Important standards for cosmetotextiles include PD CEN/TR 15917:2009, ISO 3175-1, ISO 3758, ISO 6330 and ISO 22716. PD CEN/TR 15917:2009 includes the tests for cosmetic claim substantiation such as skin moisturizing, body firming, assessment of outer appearance of cellulite etc. The PD CEN/TR 15917:2009 standard specifies the general properties, claimed effects, safety assessment and labeling of slimming, moisturizing and regenerating preparations that fall into the cosmetotextile class.

Keywords: Cosmetotextiles, cosmetic functions, carrier systems, ISO standards, performance tests.

Article Info: Received 24 April 2020; Revised 18 May; Accepted 31 June, Available online 15 July 2021

Cite this article-

ALGIN YAPAR E, ESENTÜRK İ, ŞAHİNER A, HALAT E, KARA BA, BALA R, SINDHU RK.
 Cosmetotextiles and evaluation of their performance. Universal Journal of Pharmaceutical Research 2021;
 6(3):64-67.

DOI: <https://doi.org/10.22270/ujpr.v6i3.609>

Address for Correspondence:

Assoc. Prof. Evren ALGIN YAPAR, Ministry of Health, Turkish Medicines and Medical Devices Agency, Department of
 Analysis and Control Laboratories Ankara, Turkey, Tel- +903125655370; E-mail: evren.yapar@yahoo.com

INTRODUCTION

Legislations and scope of cosmetics have some differences in various countries¹⁻³. According to the European legislation, cosmetics generally means any substance or mixture intended to be placed in contact with the external parts of the human body (epidermis, hair system, nails, lips and external genital organs) or with the teeth and the mucous membranes of the oral cavity with a view exclusively or mainly to cleaning them, perfuming them, changing their appearance, protecting them, keeping them in good condition or correcting body odours and cosmetic substance means a chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used but excluding any solvent which may be separated

without affecting the stability of the substance or changing its composition. Cosmetics have borderlines with medicines, medical devices, biocidal products, toys, textiles and nutrition products¹. Functional textiles are fall in the scope of borderlines owing to their multiple properties. According to the loaded substance/formulation and the intended usage they can fall in the scope of cosmetics, biocidal products, medical devices, medicines or home textiles⁴⁻⁶.

A cosmetotextile product refers to a textile product of which main purpose is to show a cosmetic effect and carries a cosmetic substance or formula released over time. Although the preparation and usage purposes of cosmetotextiles are similar throughout the world, the legal scope differences between countries are also reflected in these products.

The main purposes of cosmetotextiles can be grouped as follows⁷⁻⁹;

1. Moisturizing
2. Anti-aging
3. Protection from UV rays
4. Sweating and odor prevention
5. Perfuming
6. Body shaping
7. Relaxation and refreshing.

Properties and production of Cosmetotextiles

The most important property of cosmetotextiles is that they release the cosmetic substance/formula for the specified period and thus show their effects for a long time. In this context, below three criteria are important for the finished product⁷⁻⁹;

1. Properties and parameters related to the cosmetic substance/formula and the carrier molecule/particle.
2. Properties and parameters related to the application of the cosmetic carrier units to the textile.
3. Properties and parameters related to the textile.

The textiles used for cosmetotextiles can be woven fabric, knitted fabric or non-woven fabric, which are flexible materials consisting of natural or synthetic yarns. Various active ingredients are added using different techniques to create a cosmetic effect in textile materials. Substances such as binders, carrier molecules/particles, dyestuffs, textile auxiliary substances contained in the textile but not intended to be carried to the body are not in the context of cosmetic products. Basically cosmetic carrier units applied to textiles by a process based on adhesion and cohesion forces to obtain the finished cosmetotextile product. Cosmetic substance or formulation carrier units can be either a molecule such as various types of cyclodextrins or a particle such as microcapsule, nanocapsule, microsphere, nanosphere, liposome, nanosome, solid lipid nanoparticle etc^{10,11,12,13}.

Cosmetic textiles are produced using various techniques such as doping into raw materials, grafting onto fiber, yarn or fabric surface, direct coating or encapsulation and microcapsulation¹⁴. Microencapsulation is the method applied to isolate active substances by covering them with a membrane produced by synthetic or natural polymers and to ensure that they are released into the environment in a controlled manner¹⁵. Controlled release of active substance in cosmetic products is of great importance. With the slow and continuous release mechanism, excess amount is avoided and the cosmetic substance is released into the human skin in a controlled manner. With nanotechnology techniques, new textile products, nanofibers or nanocomposites can be produced from nano-sized building materials with different functions. The existing functions of the textile material; It is also possible to develop it by adding nanoparticles that give different properties to the fiber, yarn or fabric surface¹⁶. Nanofiber cosmetic structures can be categorized as face masks and skin cleansers, skin health promoting and regenerating products, and skin wound healing products¹⁷. Another method used in the production of cosmetotextile products is grafting. Grafting can be done with cyclodextrins. Since cyclodextrins have a polar hydrophilic outer surface and a hydrophobic

inner surface, they can host hydrophobic components in a hydrophilic environment. The crystal form of this molecule provides increased resistance of active substances against oxidation, hydrolysis, photochemical reactions, decreased evaporation rates of volatile substances and their controlled release. Direct coating is based on the process of coating one or both surfaces of the fabric produced as knitted, woven or non-woven surface with a chemical substance. In addition, coating can be applied in the form of yarn. Especially woven fabrics are preferred to produce cosmetotextiles^{18,19}.

Test method of Cosmetotextiles

Since cosmetotextiles come into direct contact with the human body, it is of great importance for human health to determine the effects of the cosmetic activities of these clothes on the skin. Also cosmetotextile products consist of complex composition of different ingredients; this issue should be taken into account in the toxicological evaluation of total cosmetotextile and critical evaluations such as risk analysis, dose-response assessment and exposure amount^{9,20}. PD CEN/TR 15917:2009, a technical standard, has been created to increase product safety of this technology. Cosmetic product used in a cosmetic textile must comply with the current European Cosmetics Regulation EC1223/2009.

The cosmetic substance delivery system must be biocompatible, which is acceptable to body tissues²¹. It should not be toxic or carcinogenic. Active ingredients in cosmetotextiles should not cause skin irritation²². Whether the cosmetotextile products show the claimed effect after use, the required application time to see the effect of the product, their washing resistance, whether they are eco-friendly and the shelf life of the product should be determined by related laboratory tests and performance studies.. The cosmetic performance expected from cosmetotextiles decreases over time depending on the usage and maintenance process. For this reason, the durability of the product should also be tested.

Establishment of test standards for the evaluation and testing of the effectiveness, safety and durability of cosmetic textiles is provided by the European Standardization Committee.

Either for safety, effectiveness and quality control of cosmetotextiles are mainly subjected and can be evaluated according to the below listed standards^{9,23-26};

- PD CEN/TR 15917, Textiles. Cosmetotextiles.
- prEN ISO 3175-1, Textiles - Dry cleaning - Part 1: Methods for cleanability assessment of textiles
- EN ISO 3758, Textiles - Label codes using symbols
- EN ISO 6330, Textiles - Hand washing and drying procedures for Textiles
- EN ISO 22716, Cosmetics-Good Manufacturing Practices (GMP)

Chemical and physical properties of cosmetotextile products, such as acidic or basic character, flammability or ability to react with another substance, are tested according to current legal guidelines and cosmetic standards. Before cosmetic textiles are put on the market, it is necessary to test the active ingredient

and undergo biological tests in accordance with the current test standards in the cosmetic industry. To determine the biocompatibility and non-toxicity of the product, EN ISO 10993, OECD (OECD 405, 406, 407 & 471) test methods should be used, respectively, and the product must meet these tests successfully¹⁴.

The effectiveness of cosmetotextiles should be tested under the same conditions as cosmetic product standards. In the measurement of cosmetic effect the performance of cosmetotextiles can be evaluated below indicated methods^{9,27,28},

Corneometry for moisturizing/skin barrier functionality; Cytometry, Ballistometry, Torcmetry for tightening/increasing skin elasticity Skin pH meter for skin pH measurement Profilometry or grid projection for skin roughness/skin topography; Diffuse Reflectance Spectroscopy for bleaching; Diaphragm Fluoroscopy (Sniff test) can be applied for odoring or deodorization/odor prevention. Maintenance resistance of cosmetotextile; It is evaluated by determining the amount of cosmetic product left on the cosmetotextile after a certain number of maintenance periods. Care conditions are described in ISO standards in accordance with washing EN ISO 6330 and dry cleaning prEN ISO 3175-1 in terms of textile care.

The labeling and the information contained in cosmetotextiles within the scope of cosmetic products are critical for the performance and maintenance of the product. Among this information;

1. The function/purpose of the product.
2. The method of use.
3. The composition of the cosmetics.
4. The composition of the textile.
5. The maintenance process.
6. The usage time.
7. The reference for traceability (lot number etc.).

Other needed cosmetic and textile requirements are included.

Recent studies on cosmetotextiles

Studies on cosmetotextiles have been raising on recent years. Between those; a cosmetotextile product made of cotton/elastane which was functionalized with bovine serum albumin (BSA) or BSA/silk fibroin nanoemulsions encapsulating α -tocopherol. The functionalization of the fabrics with proteins did not disturb their comfort properties and functionality also imparted antioxidant activity²⁹. In another study, allantoin loaded liposomes were prepared and applied to polyamide and cotton fabrics. It was shown that allantoin loaded liposomes were successful for moisturizing the skin thus suitable for cosmetotextile applications³⁰. Gallic acid was encapsulated in poly- ϵ -caprolactone microspheres and then incorporated into polyamide for obtaining the cosmetotextile with an increased antioxidant activity by another group of researchers³¹. Also, microencapsulation of fragrances into microcapsules enables great potential for their sustained release within the context of cosmetotextile. Neroline was encapsulated in polyurethane microcapsules and then neroline loaded microcapsules were fixed on cotton fabric for this purpose³². Başıyigit *et al.*,³³ developed polypropylene fabrics which were impregnated with three different delivery systems

(microcapsule, microemulsion or solid lipid nanoparticle systems) containing vitamin E in their study. It was shown that all nanocarriers prolonged vitamin E release but best by solid lipid nanoparticles from cosmetotextile products for use in skin cell repair and restoration for ocular area. Due to having large surface area, very small diameters, high loading efficiency and sustained release properties, electrospun nanofibers are one of the promising cosmetotextiles in recent years^{34,35}. In a study, electrospun poly (vinyl alcohol)/chitosan nanofibers incorporated with a combination of polyphenol-rich-herbal extracts was developed for use in facial acne treatment. The prepared nanofibers exhibited sustained delivery of herbal extracts and good antibacterial activity against *Propionibacterium acnes* and has opened new horizons for the new generation of cosmetotextiles³⁶.

CONCLUSION

Today, consumers prefer comfortable and multifunctional products in textile products, among the textile products and this encourages manufacturers to design more functional products. Cosmetotextiles are products that can allow the active substance to be transferred to the human skin in a slow and more controlled manner. Cosmetotextile industry is an area that continues to develop in the field of cosmetics and it has seen that scientific studies are increasing day by day. In this direction, while the usage purposes and contents of cosmetotextiles are expanding, the tests for evaluation of their effectiveness, safety and quality are also increased and diversified.

AUTHOR'S CONTRIBUTION

All authors have worked equally for this work.

ACKNOWLEDGEMENTS

The authors extend their thanks and appreciation to the Turkish Medicines and Medical Devices Agency to provide necessary facilities for this work.

CONFLICT OF INTEREST

No conflict of interest associated with this work.

REFERENCES

1. Regulation (EC) No.1223/2009 on Cosmetics Products. https://ec.europa.eu/health/sites/default/files/endocrine_disruptors/docs/cosmetic_1223_2009_regulation_en.pdf Accessed 24 May 2021
2. Borderline products manual on the scope of application of the Cosmetics Regulation (EC) No 1223/2009 (Art. 2(1)(a)) (September 2020, version 5.2) (1 MB). https://ec.europa.eu/growth/sectors/cosmetics/products/borderline-products_en Accessed 24 May 2021.
3. Federal Food, Drug, and Cosmetic Act, FD&C Act Reference Information. United States Code, Title 21, 2018. <https://www.fda.gov/regulatory-information/laws-enforced-fda/federal-food-drug-and-cosmetic-act-fdc-act> Accessed 24 May 2021.

4. Cosmetics Act No. 15947, Dec. 11, 2018 https://elaw.klri.re.kr/eng_service/lawView.do?hseq=50282&lang=ENG Accessed 24 May 2021
5. Elsner P, Maibach HI. Cosmeceuticals: Drugs vs. Cosmetics. New York: Marcel Dekker Inc 2000; 3-142.
6. Heide M, Möhring U, Hänsel R, Stoll M, Wollina U, Heinig B. Antimicrobial-finished textile three-dimensional structures. in: biofunctional textiles and the skin. Eds: Hipler UC, Elsner P. Vol 33, Basel: Karger Inc 2006;179-199. <https://doi.org/10.1159/000093945>
7. Singh MK, Varun VK, Behera BK. Cosmetotextiles: state of art, fibres and textiles in Eastern Europe 2011;19: 4(87):27-33.
8. Buschmann HJ, Schollmeyer E. Cosmetic textiles-a new functionality of clothes. Cosmetics Toilet 2004; 119(5): 105-12.
9. PD CEN/TR 15917:2009 Textiles-Cosmetotextiles.
10. Subramanian K, Govindan I. Integration of Cosmetics with Textiles- An emerging area of Functional Textiles - A review. Lat Trends Text Fashion Des 2018; 1(1): 122-124. <https://doi.org/10.32474/LTTFD.2018.01.000126>
11. Rivero PJ, Urrutia A, Goicoechea J, Arregui FJ. Nanomaterials for functional textiles and fibers. Nanoscale Res Lett 2015; 10(1): 501. <https://doi.org/10.1186/s11671-015-1195-6>
12. Bhaskara-Amrit UR, Agrawal PB, Warmoeskerken MMCG. Applications of beta -cyclodextrins in textiles. Autex Res J 2011; 11(4): 94-101. http://www.autexrj.org/No4-2011/0020_11.pdf
13. Sawhney APS, Condon B, Singh KV, Pang SS, Li G, Hui D. Modern Applications of Nanotechnology in Textiles. Textile Res J 2008; 78: 731. <https://doi.org/10.1177/0040517508091066>
14. Singh MK, Behera BK, Varun VK. Cosmetotextiles: state of art. Fibers Text East Europe 2011; 19(4): 87:27-33, 2011.
15. Manjanna K, Shivakumar B, Kumar T. Microencapsulation: an acclaimed novel drug delivery system for NSAIDs in arthritis, Critical Reviews™. Therap Drug Car Syst 2010; 27(6):501-532. <https://doi.org/10.1615/critrevtherdrugcarriersyst.v27.i6.20>
16. Doğan G. Investigation of the possibilities of using biopolymer nanofibers obtained by electrospinning method in tissue engineering and drug release applications. PhD thesis, Institute of Science, Ege University, İzmir, Turkey 184, 2012. [https://doi.org/10.1016/S0266-3538\(03\)00178-7](https://doi.org/10.1016/S0266-3538(03)00178-7)
17. Yilmaz F, Celep G, Tetik G. Nanofibers in cosmetics. Nanofiber Research-Reaching New Heights, 1st ed., Rahman M, Asiri AM, Eds. Croatia: Intechopen, 2016, 127-146. <https://doi.org/10.3390/inventions2020009>
18. Issazadeh-Baltorki H, Khoddami A. Cyclodextrin-coated denim fabrics as novel carriers for ingredient deliveries to the skin. Carbohydrate Polym 2014; 110513-517. <https://doi.org/10.1016/j.carbpol.2014.03.008>
19. Erkan G. Microencapsulation of some antifungal agents and their application to textile materials. PhD thesis, Institute of Science and Technology, Dokuz Eylül University, İzmir, Turkey, 146, 2008. <https://doi.org/10.1016/j.ijbiomac.2019.10.197>
20. Alonso C, Martí M, Martínez V, Rubio L, Parra JL, Coderch L. Antioxidant cosmo-textiles: skin assessment. Eur J Pharm Biopharm 2013; 84(1):192-9. <https://doi.org/10.1016/j.ejpb.2012.12.004>
21. Kan C, Yuen C. Cosmetic textiles. Textile Asia 2005; 36, (6):29-35.
22. Borkow G. Cosmetotextiles - sometimes the simple things work. J Cosmetol Trichol 2016;2(1):1-2. <http://dx.doi.org/10.4172/2471-9323.1000e103>
23. prEN ISO 3175-1, Textiles-Dry cleaning - Part 1: Methods for cleanability assessment of textiles
24. EN ISO 3758, Textiles-Label codes using symbols
25. EN ISO 6330, Textiles-Hand washing and drying procedures for Textiles
26. EN ISO 22716, Cosmetics- Good Manufacturing Practices (GMP)
27. Wright CY, Karsten AE, Wilkes M, Singh A, du Plessis J, Albers PN, Karsten PA. Diffuse Reflectance Spectroscopy Versus Mexameter(®) MX18 Measurements of Melanin and Erythema in an African population. Photochem Photobiol 2016; 92(4):632-6. <https://doi.org/10.1111/php.12607>
28. LoMauro A, Martorana C, Aliverti A, Nosotti M, Palleschi A, Privitera E. European Resp J 2019; 54(63): PA2194. <https://doi.org/10.1183/13993003.congress-2019.PA2194>
29. Ghaheh FS, Noro J, Vatankhah E, *et al.* The comfort properties of cosmo-textiles functionalized with protein-based nanoemulsions encapsulating Vitamin-E J Nat Fib 2021; 1-13. <https://doi.org/10.1080/15440478.2021.1921657>
30. Sayit G, Tanriverdi ST, Özer Ö, Özdoğan E. Preparation of allantoin loaded liposome formulations and application for cosmetic textile production. The J Text Inst 2021; 1-12. <https://doi.org/10.1080/00405000.2021.1903197>
31. Alonso C, Martí M, Barba C, Lis M, Rubio L, Coderch L. Skin penetration and antioxidant effect of cosmo-textiles with gallic acid. J Photochem Photobiol B: Biology 2016; 156: 50-55. <https://doi.org/10.1016/j.jphotobiol.2016.01.014>
32. Abdelkader MB, Azizi N, Baffoun A, Chevalier Y, Majdoub M. Fragrant microcapsules based on β -cyclodextrin for cosmotextile application. J Renewable Mat 2019; 7(12): 1347-62. <https://doi.org/10.32604/jrm.2019.07926>
33. Başığit ZÖ, Dilek KUT, Yenilmez E, Eyüpoğlu Ş, Hocaoglu E, Yazan Y. Vitamin E loaded fabrics as cosmotextile products: formulation and characterization. Tekstil ve Konfeksiyon 2018; 28(2):162-169.
34. Yilmaz F, Celep G, Gamze T. Nanofibers in cosmetics. Nanofiber research-reaching New heights 2016; 127-145. <http://dx.doi.org/10.5772/64172>
35. Baskan H, Esentürk I, Dösler S, Sarac AS, Karakas H. Electrospun nanofibers of poly (acrylonitrile-co-itaconic acid)/silver and polyacrylonitrile/silver: In situ preparation, characterization, and antimicrobial activity. JI Indust Text 2019; 50(10): 1594-1624. <https://doi.org/10.1177/1528083719868170>
36. Tang Y, Liu L, Han J, *et al.* Fabrication and characterization of multiple herbal extracts-loaded nanofibrous patches for topical treatment of acne vulgaris. Fibers Polym 2021; 22(2): 323-33. <https://doi.org/10.1007/s12221-021-0156-1>