Available online on 15.11.2017 at <http://ujpr.org>
Universal Journal of Pharmaceutical Research
An International Peer Reviewed Journal

Open access to Pharmaceutical research
 This is an open access article distributed under the terms of the Creative Commons Attribution-Non Commercial Share Alike 4.0 License which permits unrestricted non commercial use, provided the original work is properly cited

Volume 2, Issue 5, 2017

Open Access

REVIEW ARTICLE

NEW ERA OF MEDICINE: ROLE OF NUTRACEUTICALS IN TREATMENT AND PREVENTION OF VARIOUS DISEASES

Oyeniran Taiwo O¹ , Opeyemi Adegbenro² , Ejiogu Deborah Chioma³

¹Department of Endocrinology and metabolism, University of Ibadan, Nigeria.

²Cardiovascular and respiratory unit, University of Ibadan, Nigeria.

³Department of Human Physiology, Ahmadu Bello University Zaria, Nigeria.

ABSTRACT

Nutraceutical is a term coined to describe substances which are not traditionally recognized nutrients but which have positive physiological effects on the human body. Nutraceuticals are derived from various sources such as medicinal plants, marine organisms, vegetables and fruits. Since ancient times mankind has believed in role of appropriate amount of nutrition for maintaining proper health. In the past few years the increasing interest is seen among the consumers, as they feel that it is a relatively safer way to good health. The potential of nutraceuticals/functional foods/food supplements in mitigating health problems. Nutraceuticals are alternative to modern medicine. Development of better characterized and research proven products will help enhance consumer confidence in nutraceuticals. In this review, an attempt has been made to discuss all aspects of nutraceuticals- definition, categories, classification their use in various diseases.

Keywords: Dietary supplements, health problems, medicinal plants, Nutraceuticals.

Article Info: Received 2 September 2017; Revised 4 October; Accepted 1 November, Available online 15 November 2017

Cite this article-

Oyeniran Taiwo O, Opeyemi Adegbenro, Ejiogu Deborah Chioma. New era of medicine: role of nutraceuticals in treatment and prevention of various diseases. Universal Journal of Pharmaceutical Research 2017; 2(5): 56-59.

DOI: <http://doi.org/10.22270/ujpr.v2i5.RW5>

Address for Correspondence:

Oyeniran Taiwo O, Department of Endocrinology and metabolism, University of Ibadan, Nigeria; E-mail: tinwoye2011@gmail.com

INTRODUCTION

Since ancient times people have been aware of the importance of the "right amount of nutrition" in maintaining a healthy lifestyle. Food that is cooked or prepared using "scientific intelligence" the food is called "functional food". It provides the body with the required amount of vitamins, fats, proteins, carbohydrates, etc¹. When functional food is used in the prevention and/or treatment of disease(s) and/or disorder(s), it is called a nutraceutical. "Let food be thy medicine and medicine be thy food" These golden words were used around 2500 years ago by Hippocrates, the Father of medicine². The concept of nutraceuticals was started from the survey in U.K., Germany and France which concluded that diet is rated more highly by consumers than exercise or hereditary factors for achieving good health³. Since a long time, physicians paid close attention to the role of the daily diet in health maintenance. For example high dietary intake of fruits, vegetables and whole grains is strongly associated with reduced risk of developing chronic diseases, such as cancer and cardiovascular diseases⁴.

Nutraceuticals is a term coined to describe substances which are not traditionally recognized nutrients but which have positive physiological effects on the human body. Nutraceutical can be defined as, "a food or part of a food that provides medical or health benefits, including the prevention and/or treatment of a disease⁵". In general nutraceuticals do not easily fall into the legal category of food and drug and often inhabit a grey area between the two. Nutraceuticals includes isolated nutrients, dietary supplements, and diets to genetically engineered "designer" food, herbal products, and processed products such as cereals, soups, and beverages⁶. According to Hippocrates "if we could give every individual the right amount of nourishment and exercise, not too little and not too much, we would have found the safest way to health". These words of Hippocrates long time ago, summarizes the past, present and the future of nutraceuticals⁷.

Advantages of nutraceuticals

1. May increase the health value/benefits of our diet⁸.
2. May help to avoid particular medical conditions.
3. Less unpleasant side-effects⁹.
4. Easily available and cheap.

5. Provides food for populations with special needs (eg: nutrient-dense foods for the elderly)¹⁰.

Limitations of nutraceuticals

1. Nutraceuticals have poor bioavailability, easily eliminate from the body and do not provide sufficient medicinal benefit¹¹.
2. Lack of regulation may compromise the safety and effectiveness of products.
3. Many products are not having proper information about their safety and effectiveness, possible side effects, interaction with prescription medicines or the effect they have on existing medical conditions¹².

CLASSIFICATION OF NUTRACEUTICALS

Nutraceuticals can be classified as follows:

A) On the basis of natural source:

On the basis of natural source, it can be classified as the products obtained from plants, animals, minerals, or microbial sources¹³.

B) On the basis of pharmacological conditions, or as per chemical constituents of the products

Dietary supplements

A dietary supplement is a product taken by mouth that contains a "dietary ingredient" intended to supplement the diet. The "dietary ingredients" in these products may include: vitamins, minerals, herbs or other botanicals, amino acids, and substances such as enzymes, organ tissues, glandulars, and metabolites. Dietary supplements can also be extracts or concentrates, and may be found in many forms such as tablets, capsules, softgels, gelcaps, liquids, or powders¹⁴.

Functional food

These include food or food ingredient that may provide a health benefit beyond the traditional nutrients it contains. Functional foods contain physiologically active components obtained either from plants or animal sources¹⁵. Functional foods are fortified or enriched during processing and then marketed. Sometimes, additional complementary nutrients are added, such as vitamin D to milk. This practice restores the nutrient content in a food¹⁶.

NUTRACEUTICALS AND DISEASES

1. Nutraceuticals for Cardiovascular Diseases

Cardiovascular disease (CVD) is now the leading cause of death globally. Nutraceuticals have the potential to significantly reduce the risk of side effects associated with chemotherapy along with reducing the global health care cost. It has been proposed that CVD can be prevented by lifestyle changes, including diet. Certain nutraceuticals affect chronic disease and are claimed to have a favourable impact on cardiovascular diseases such as heart attack/ischemia, stroke, coronary artery disease, cor pulmonale, hypertension, deep vein thrombosis and/or atherosclerosis¹⁷. Nutraceuticals tend to reduce circulating levels of LDL-cholesterol by modulating cholesterol production in the liver (i.e. monacolin, policosanol, red yeast, rice etc.), binding cholesterol within the intestines and/or increasing LDL-c receptor uptake in the liver (i.e. berberina, phytosterols etc.). Excessive consumption of foods that are calorie dense, nutritionally poor, highly processed,

and rapidly absorbable can lead to systemic inflammation, reduced insulin sensitivity, and a cluster of metabolic abnormalities, including obesity, hypertension, dyslipidemia, and glucose intolerance. Polyphenols found in grapes and grape derivatives, cocoa and tea are of interest in the prevention of CVD. Phenolic compounds are found in grapes and these include anthocyanins, flavanols, flavonols, stilbenes and phenolic acids. Anti-oxidants, Dietary fibres, Omega-3 poly unsaturated fatty acids, Vitamins, minerals for prevention and treatment of CVD¹⁸.

2. Nutraceuticals against Alzheimer's disease (AD)

Alzheimer's disease is the most common and feared form of dementia representing circa 70% of all dementia cases and displaying a dramatic epidemics due to the enormous growth of the aged population worldwide¹⁹. Advanced age is often characterized by a decline in a large spectrum of cognitive abilities including reasoning, memory, perceptual speed, and language. Botanical extracts with anti-amyloidogenic activity, including green tea catechins, turmeric, *Salvia miltiorrhiza*, berry anthocyanins, and Panax ginseng have demonstrated significant efficacy in Alzheimer's diseases²⁰. *Bacopa monniera* has been demonstrated as an Ayurvedic nerve tonic, indicating a potential role in helping prevent dementia and serving as a novel memory enhancer. Also, astaxanthin-rich algal biomass, fish oil including omega-3 fatty acids (PUFAs) and krill oil have demonstrated a potential role in preserving memory, sustaining cognitive functions and preventing neuro-inflammatory, neuro-motor and neurodegenerative disorders in humans and animals²¹.

3. Nutraceuticals for Diabetes

Diabetes is a chronic metabolic disorder, where the body is unable to utilize carbohydrate due to absolute or relative lack of insulin, a hormone naturally produced by the β cell of the islets of langerhans in pancreas. Isoflavones are phytoestrogens have a structural/functional similarity to human estrogen and have been consumed by humans worldwide. Cinnamon tea and green tea can help people suffering with diabetes²². Dietary fibers from psyllium have been used for glucose control in diabetic patients and to reduce lipid levels in hyperlipidemia. Omega-3 fatty acids supplementation in type 2 diabetes has a favorable impact in lowering triglycerides and VLDL-cholesterol, and reducing blood pressure and inflammatory markers²³.

4. Nutraceuticals in Parkinson's disease

Parkinson's disease (PD) is characterized by the progressive loss of dopaminergic neurons in the substantia nigra pars compacta and other parts of the brain, leading to motor impairment, cognitive impairment, and dementia. Nutraceuticals can provide neuroprotection via a wide range of proposed mechanisms, such as scavenging of free radicals and ROS, chelation of iron, modulation of cell-signaling pathways, and inhibition of inflammation²⁴. These nutraceuticals include vitamins C, D, E, coenzyme Q10, creatine, unsaturated fatty acids, sulfur-containing compounds, polyphenols, stilbenes, and phytoestrogens. Researchers found that curcumin

decreases synuclein toxicity and the generation of reactive oxygen species (ROS), which are found to be involved in the programmed cell death. It also increases neuronal survival in the *substantia nigra* that is present in the midbrain and have a function in movement. Zingerone is an extract obtained from the ginger root. Researchers found that zingerone inhibits the dopamine reduction in mouse model²⁵.

5. Nutraceuticals in Hypertension

Hypertension as “a common condition in which the force of the blood against artery walls is high enough that it may eventually cause health problems, such as heart disease.” Many natural compounds in food, as well as certain nutraceutical supplements, vitamins, antioxidants, or minerals, can mimic drugs, functioning in a similar fashion to a specific class of antihypertensive medications. Melatonin, Hesperidin, pomegranate juice and grape seed extract have shown to be helpful in reducing BP²⁶. Flavonoids are the natural substances found to reduce stroke and enable smooth cardiac functions. Lycopene present in the carotenoid family, it helps reduce BP and oxidative stress. Use of garlic helps reduce BP and is also useful in treating patients already on drugs. Clinical studies show that seaweed lower BP within 4 weeks of administration. Sesame reduces BP, arterial stiffness, and improves oxidative defense. Beverages: Tea, coffee, and coco. These help to reduce BP and improve endothelial function²⁷.

6. Nutraceuticals with Anti-inflammatory activities

Inflammation is a process by which the body's white blood cells and substances they produce protect us from infection with foreign organisms, such as bacteria and viruses. It is the response of body tissues to injury or irritation, characterized by pain and swelling and redness and heat. Rheumatoid arthritis (RA) is a chronic inflammatory disease characterized by elevated oxidative stress and inflammatory biomarkers²⁸. Various studies were conducted by many researchers on fish oil, primrose oil, curcumin, fenugreek, liquorice, coriander²⁹. During these studies, changes in inflammatory biomarkers (erythrocyte sedimentation rate (ESR), C-reactive protein (CRP), seromucoids, fibrinogen, tumor necrosis factor- α (TNF- α), prostaglandin E2), oxidative stress (malondialdehyde), antioxidant status (total antioxidant capacity, vitamin C, vitamin E, retinol, β -carotene), the level of copper (Cu) and zinc (Zn) and colonic microflora in response to the administration of nutraceuticals have been assessed. Studies concluded that the majority of nutraceuticals studied possess beneficial effect toward chronic inflammatory diseases, which might be due to the presence of one or more of the above-mentioned phytochemicals³⁰.

7. Nutraceuticals in Obesity

Obesity leads to chronic, excessive adipose tissue expansion resulting in an increase in the risk for cardiovascular disease, type 2 diabetes mellitus, and other metabolic abnormalities.

Herbal stimulants, such as ephedrine, caffeine, ma huang-guarana, chitosan and green tea help in body weight loss³¹. Capsaicin, a biologically active ingredient found in red chili peppers leads to alteration

of thermogenesis and lipid metabolism-related proteins in white adipose tissue and skeletal muscle. Thereby it induces thermogenesis and fat oxidation. A blend of glucomannan, chitosan, fenugreek, G sylvestre, and vitamin C in the dietary supplement significantly reduced body weight.

8. Nutraceuticals in Cancer

As concluded by many researchers' nutraceuticals, mostly phytochemicals derived from dietary or medicinal plants such as soya bean, garlic, ginger, tea, honey and others, may have chemopreventive activities. Soyfoods source of isoflavones, curcumin from curry and soya isoflavones possess cancer chemopreventive properties. People using large amount of lutein-rich foods such as chicken eggs, spinach, tomatoes, oranges and leafy greens experienced the lowest incidence of colon cancer³². Lycopene prevents cancer, cardiovascular disease, and gastrointestinal tract. It concentrates in the skin, testes, adrenal and prostate where it protects against cancer. Flavonoids which block the enzymes that produce estrogen reduce of estrogen induced cancers. Isoflavones are a group of phytochemicals that are predominant constituents of a soy-based diet. Among isoflavones, the three major constituents that have been shown to have remarkable influences in cancer prevention and therapy are genistein, diadzein, and glycitin³³.

CONCLUSION

Nutraceuticals are the isolated product obtained from foods, and play a vital role in improving health, provides protection against diseases. Nutraceuticals are widely being used rather than medicines because they reduce side-effect and have positive physiological effects on the human body. Since ancient time people were aware of the importance of the “right amount of nutrition” in maintaining a healthy lifestyle. Nutraceuticals are currently receiving recognition for treatment of many diseases such as coronary heart disease, obesity, diabetes, cancer, osteoporosis and other chronic and Parkinson's and Alzheimer's diseases. In the present scenario of self-medication nutraceuticals play major role in therapeutic development. However for the successful use of nutraceuticals emphasis should be given on their quality, purity, safety and efficacy. In order to have scientific knowledge about the nutraceuticals, public should be informed/ educated regarding therapeutic efficacy and correct daily doses. There is need to establish a vibrant nutraceuticals research community which is necessary to obtain enormous benefits from the available potential nutraceuticals for all of us.

AUTHOR'S CONTRIBUTION

All authors have worked equally for this work.

ACKNOWLEDGEMENTS

The authors extend their thanks and appreciation to the University of Ibadan, Nigeria to provide necessary facilities for this work.

CONFLICT OF INTEREST

No conflict of interest associated with this work.

REFERENCES

- Majoa, DD, Guardia ML, Tripolia E, Giammanco S, Finotti E. Flavonoids as inhibitors of lipid peroxidation in membranes. *Food Research Int* 2005; 38: 1161-1166. <https://doi.org/10.1017/S0007114508965776>
- Bickford PC, Tan J, Shytle RD, Sanberg CD, El-Badri N, Sanberg PR. Nutraceuticals synergistically promote proliferation of human stem cells. *Stem Cells Dev* 2006; 15:118-23. <https://doi.org/10.1089/scd.2006.15.118>
- Blechet, C et al P. 025 Tumor-stromal cell interactions modulate metalloproteinase and kallikrein expression in direct and indirect co-culture cell models. *Revue des Maladies Respiratoires* 2008; 25: 1167. [https://doi.org/10.1016/S0761-8425\(08\)75015-0](https://doi.org/10.1016/S0761-8425(08)75015-0)
- Gradisnik L, Filipic B, de Vaureix C, Lefevre F, La Bonnardiere C, Cencic A. Establishment of a functional cell culture model of the pig small intestine, LINZ, ALTEX 23. *ALTEX Altern. Tierexp* 2006; 23: 94.
- Akubugwo IE, Obasi NAL, Chinyere GC, Ugbogu AE. Nutritional and chemical value of *Amaranthus hybridus* leaves from Afikpo, Nigeria. *African J Biotech* 2007; 6(24):2833- 2839.
- Om P Gulati, Peter Berry Ottaway. Legislation relating to nutraceuticals in the European Union with a particular focus on botanical-sourced products. *Toxicol* 2006; 221:75-87. <https://doi.org/10.1016/j.tox.2006.01.014>
- Jones PJ, Asp NG, Silva P. Evidence for health claims on foods: how much is enough? Introduction and general remarks. *J Nutr* 2008; 138(6):1189S-1191S. <https://doi.org/10.1093/jn/138.6.1189S>
- Lachance PA. Nutraceutical/drug/anti-terrorism safety assurance through traceability. *Toxicol Lett* 2004; 150:25-27. <https://doi.org/10.1016/j.toxlet.2003.05.001>
- Zhao J. Nutraceuticals, nutritional therapy, phytonutrients, and phytotherapy for improvement of human health: a perspective on plant biotechnology application. *Recent Pat Biotechnol* 2007; 1(1):75-97. <https://doi.org/10.2174/187220807779813893>
- Schwager J, Mohajeri MH, Fowler A, Weber P. Challenges in discovering bioactives for the food industry. *Curr Opin Biotechnol* 2008; 19(2):66-72. <https://doi.org/10.1016/j.copbio.2008.02.016>
- Roberfroid MB. Concepts and strategy of functional food science: the European perspective. *Am J Clin Nutr* 2000; 71(6 Suppl):1660S-1664S. <https://doi.org/10.1093/ajcn/71.6.1660S>
- German JB and Walzem RL. The health benefits of wine. *Annual Review of Nutrition. Research J Pharm Tech* 2008; 1(4): 338. <https://doi.org/10.1146/annurev.nutr.20.1.561>
- Houston MC. Nutraceuticals, vitamins, antioxidants, and minerals in the prevention and treatment of hypertension. *Prog Cardio Dis* 2005; 47: 396-449. <https://doi.org/10.1016/j.pcad.2005.01.004>
- Nelson NJ. Purple carrots, margarine laced with wood pulp? Nutraceuticals move into the supermarket. *J Natl Cancer Inst* 1999; 91: 755-757. <https://doi.org/10.1093/jnci/91.9.755>
- Spáčil Z, Novakova L, Solich P. Analysis of phenolic compounds by high performance liquid chromatography and ultra-performance liquid chromatography. *Talanta* 2008; 76:189-99. <https://doi.org/10.1016/j.talanta.2008.02.021>
- Tresserra-Rimbau A, Rimm EB, Medina-Remón A, et al. Inverse association between habitual polyphenol intake and incidence of cardiovascular events in the predimed study. *Nutr Metab Cardiovasc Dis* 2014; 24:639-47. <https://doi.org/10.1016/j.numecd.2013.12.014>
- Kim J, Lee HJ, Lee KW. Naturally occurring phytochemicals for the prevention of Alzheimer's disease. *J Neurochem* 2010; 112:1415-1430. <https://doi.org/10.1111/j.1471-4159.2009.06562.x>
- Rajan KE, Preethi J, Singh HK. Molecular and Functional Characterization of *Bacopa monniera*: A Retrospective Review. *Evid Based Complement Alternat Med* 2015; 945217. <https://doi.org/10.1155/2015/945217>
- Polotow TG et al. "Redox Status and Neuro Inflammation Indexes in Cerebellum and Motor Cortex of Wistar Rats Supplemented with Natural Sources of Omega-3 Fatty Acids and Astaxanthin: Fish Oil, Krill Oil, and Algal Biomass. *Mar Drugs* 2015; 13:6117-6137. <https://doi.org/10.3390/md13106117>
- Hartweg J, Farmer AJ, Perera R, Holman RR, Neil HA. Meta-analysis of the effects of n-3 polyunsaturated fatty acids on lipoproteins and other emerging lipid cardiovascular risk markers in patients with type 2 diabetes. *Diabetologia* 2007; 50:1593-1602. <https://doi.org/10.1007/s00125-007-0695-z>
- Kris-Etherton PM, Harris WS, Appel LJ; AHA Nutrition Committee. American Heart Association. Omega-3 fatty acids and cardiovascular disease: New recommendations from the American Heart Association. *Arterioscler Thromb Vasc Biol* 2003; 23:151-152.
- Kannappan R, Gupta S, Kim J, Reuter S, Agarwal B. Neuroprotection by Spice-Derived Nutraceuticals: You Are What You Eat! *Molecular Neurobiol* 2011; 44 (2), 142-159. <https://doi.org/10.1007/s12035-011-8168-2>
- Kim HP, Mani I, Iversen L, Ziboh VA. Effects of naturally-occurring flavonoids and biflavonoids on epidermal cyclooxygenase and lipoxygenase from guinea-pigs. *Prostaglandins Leukot. Essent. Fatty Acids* 1998; 58: 17-24. [https://doi.org/10.1016/S0952-3278\(98\)90125-9](https://doi.org/10.1016/S0952-3278(98)90125-9)
- Houston MC. Nutraceuticals, vitamins, antioxidants, and minerals in the prevention and treatment of hypertension. *Prog Cardiovasc Dis* 2005 May-Jun; 47 (6): 396-449.
- Paran E, Engelhard YN. Effect of lycopene, an oral natural antioxidant on blood pressure. *J Hypertens* 2001; 19, S74.
- Al-Okbi SY, Mohamed DA, Donya SM, Abd El Khalek AB. Role of *Bifidobacterium bifidum* and plant food extracts in improving microflora and biochemical and cytogenetic parameters in adjuvant arthritis. *Grasas y Aceites* 2011; 62(3): 308-320. <https://doi.org/10.3989/gya.089810>
- Bandt MD, Grossin M, Driss F (2002) Vitamin E uncouples joint destruction and clinical inflammation in a transgenic mouse model of rheumatoid arthritis. *Arthritis Rheumat* 46: 522-532. <https://doi.org/10.1002/art.10085>
- Cerhan JR, Sagg KG, Merlino LA, Mikuls TR, Criswell LA. Antioxidant micronutrients and risk of rheumatoid arthritis in a cohort of older women. *American J Epidem* 2003; 157(4): 345-354. <https://doi.org/10.1093/aje/kwf205>
- Joo JI, Kim DH, Choi JW, Yun JW. Proteomic analysis for antiobesity potential of capsaicin on white adipose tissue in rats fed with a high fat diet. *J Proteome Res* 2010; 9:2977-87. <https://doi.org/10.1021/pr901175w>
- Kim DH, Joo JI, Choi JW, Yun JW. Differential expression of skeletal muscle proteins in high-fat diet-fed rats in response to capsaicin feeding. *Proteomics* 2010;10:2870-81. <https://doi.org/10.1002/pmic.200900815>
- Lamartiniere CA, Cotroneo MS, Fritz WA, Wang J, Mentor-Marcel R, Elgavish A. Genistein chemoprevention: timing and mechanisms of action in murine mammary and prostate. *J Nutrition* 2002; 132(3): 552S-558S. <https://doi.org/10.1002/ijc.20119>
- Sayeed A, Konduri SD, Liu W, Bansal S, Li F, Das GM. Estrogen receptor α inhibits p53-mediated transcriptional repression: implications for the regulation of apoptosis. *Cancer Res* 2007; 67(16): 7746-7755. <https://doi.org/10.1158/0008-5472.CAN-06-3724>
- Krzyzanowska J, Czubacka A, Oleszek W. Dietary phytochemicals and human health. *Adv Exp Med Biol* 2010; 698: 74-98. https://doi.org/10.1007/978-1-4419-7347-4_7